


IN THE CLAIMS

Please amend the claims as follows:


Claim 1. (Original) A process for preparing a compound of Formula (I), which comprises reacting a compound of Formula (XXI) with a compound of Formula (III) in a polar organic solvent:



Claim 2. (Original) The process of Claim 1, wherein the polar organic solvent is at least one selected from the group consisting of N, N-dimethylformamide, dimethyl sulfoxide, lower alcoholic solvents with 1-3 carbon atoms, and a mixture thereof.

Claim 3. (Currently Amended) The process of Claim 1 [or 2], wherein the reaction is carried out at a temperature of 0-100 °C.


Claim 4. (Original) The process of Claim 1, wherein the compound of Formula (XXI) is obtained by the reaction of a compound of Formula (II) with a compound of Formula (IV):



Claim 5. (Original) The process of Claim 4, wherein the reaction is carried out in at least one polar organic solvent selected from the group consisting of N, N-dimethylformamide, dimethyl sulfoxide, lower alcoholic solvents with 1-3 carbon atoms, and a mixture thereof.

Claim 6. (Currently Amended) The process of Claim 4 [or 5], wherein the reaction is carried out at a temperature of 0-100 °C.

**Claim 7. (Original) Use of thallium (I) ethoxide (TlOEt) for the preparation of 9-[4-acetoxy-3-(acetoxymethyl) but-1-y1]-2-aminopurine of Formula (I):**



**Claim 8. (New) The process of Claim 2, wherein the reaction is carried out at a temperature of 0-100 °C.**

**Claim 9. (New) The process of Claim 5, wherein the reaction is carried out at a temperature of 0-100 °C.**